**ACS Material LLC** 

Version: 1.2 / EN Revision Date: 5/05/2017

### SECTION 1: IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

# 1.1 Product identifiers

Product Name	:	ACS Material Nickel Nanoparticles
Brand	:	ACS Material LLC
CAS-No.	:	7440-02-0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacturing of substances

#### **1.3** Details of the supplier of the safety data sheet

Company	:	ACS MATERIAL LLC 959 E Walnut Street, Suite 100 Pasadena, CA 91106
		USA
Telephone Fax	:	+1 (866)-227-0656 +1 (781)-518-0284
Tux	•	1 (101)-010-0204

#### 1.4 Emergency telephone number

Emergency Phone #: +1 (866)-227-0656

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Carcinogenicity (Category 2), H351 Skin sensitisation (Category 1), H317 Specific target organ toxicity - repeated exposure (Category 1), H372 Chronic aquatic toxicity (Category 3), H412 For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)	
H317	
H351	

May cause an allergic skin reaction. Suspected of causing cancer.



Safety Data Sheet -	Nickel Nanoparticles	<b>ACS Material LLC</b>
H372	Causes damage to organs through prol exposure.	onged or repeated
H412	Harmful to aquatic life with long lasting	effects.
Precautionary statement(s)	)	
P273	Avoid release to the environment.	
P280	Wear protective gloves/ protective cloth protection.	ing/ eye protection/ face
P314	Get medical advice/ attention if you feel	unwell.
P313 + P333	If skin irritation or rash occurs: Get med	ical advice/ attention.
Supplemental Hazard		
Statements	None	

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Substance name	:	Nickel Nanoparticles
CAS-No	:	7440-02-0
EC-No.	:	231-111-4
Synonyms	:	Ni
Molecular weight	:	58.7 g/mol

# **Hazardous ingredients**

Components	Concentration (wt%)	CAS No.
Nickel	≤ 99.99 %	7440-02-0

For the full text of the phrases mentioned in this Section, see Section 16.

# **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult



a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Nickel/nickel oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** Use water spray to cool unopened containers.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

- **6.2** Environmental precautions Do not let product enter drains. Discharge into the environment must be avoided.
- **6.3** Methods and materials for containment and cleaning up Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- **6.4 Reference to other sections** For disposal see section 13.

# SECTION 7: HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition- No smoking. Take measures to prevent the build-up of electrostatic charge. For precautions see section 2.2.



**ACS Material LLC** 

7.2 Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Flammable solid hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

# 8.2 Exposure controls Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### 8.3 Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals recommended. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Do not let product enter drains.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

1) Appearance

Form: Powder, black

Colour: Black Odorless

2) Odour



# **ACS Material LLC**

- 3) Odour Threshold
- 4) pH
- 5) Melting point/freezing point
- 6) Initial boiling point and boiling range
- 7) Flash point
- 8) Evaporation rate
- 9) Flammability (solid, gas)
- 10) Upper/lower flammability or explosive limits
- 11) Vapour pressure
- 12) Vapour density
- 13) Relative density
- 14) Water solubility
- 15) Partition coefficient: n- octanol/water
- 16) Auto-ignition temperature
- 17) Decomposition temperature
- 18) Viscosity
- 19) Explosive properties
- 20) Oxidizing properties

# 9.2 Other safety information

No data available

# SECTION 10: STABILITY AND REACTIVITY

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- 10.5 Incompatible materials

Strong acids, Oxidizing agents, Sulphur compounds, Hydrogen gas, Oxygen, Methanol, organic solvents.

www.acsmaterial.com

**10.6 Hazardous decomposition products** Other decomposition products - No data available

In the event of fire: see section 5.

# SECTION 11: TOXICOLOGICAL INFORMATION



No data available No data available Melting point: 1,453 °C Boiling point:2,370 °C Not applicable No data available Highly flammable

No data available No data available No data available 8.91 g/cm<sup>3</sup> at 25 °C Insoluble No data available No data available

# 11.1 Information on toxicological effects

Acute toxicity No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity No data available

#### Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Nickel, powder [particle diameter < 1 mm])

#### **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: No data available

# SECTION 12: ECOLOGICAL INFORMATION

12.1	<b>Toxicity</b> Toxicity to fish	LC50 - Cyprinus carpio (Carp) - 1,3 mg/l - 96 h			
	Toxicity to daphnia				
	and other aquatic				
	invertebrates	EC50 - Daphnia magna (Water flea) - 1 mg/l - 48 h			
12.2	Persistence and degrad	dability			

**12.3 Bioaccumulative potential** No data available



#### 12.4 Mobility in soil No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

# **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: TRANSPORT INFORMATION**

14.1	UN number ADR/RID: 3089	IMD	G: 3089	IATA: 3089	
14.2	UN proper shippin ADR/RID: IMDG: IATA: Special Provisions:	<b>g name</b> METAL POW METAL POW Metal powder "Keep away fr	DER, FLAMMABLE, DER, FLAMMABLE, , flammable, n.o.s. om heat" label require	N.O.S. (Nicke N.O.S. (Nicke ed.	)  )
14.3	Transport hazard ADR/RID: 4.1	class(es)	IMDG: 4.1		IATA: 4.1
14.4	Packaging group ADR/RID: II		IMDG: II		IATA: II
14.5	Environmental has ADR/RID: yes	zards	IMDG Marine polluta	ant: yes	IATA: yes
14.6	Special precaution	ns for user			

No data available

# SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010. REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII). Shall not be used See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction.



# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

#### **SECTION 16: OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.			
H317	May cause an allergic skin reaction.		
H351	Suspected of causing cancer.		
H372	Causes damage to organs through prolonged or repeated exposure.		
H412	Harmful to aquatic life with long lasting effects.		

#### Further information

**Disclaimer:** ACS Material, LLC believes that the information in this Safety Data Sheet is accurate and represents the best and most current information available to us. ACS Material makes no representations or warranties either express or implied, regarding the suitability of the material for any purpose or the accuracy of the information contained within this document. Accordingly, ACS Material will not be responsible for damages resulting from use of or reliance upon this information.

