ACS Material LLC

Version: 1.2 / EN Revision Date: 1/31/2023

SECTION 1: IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

1.1 Product identifiers

Product Name	:	ACS Material Ultrastable Y Zeolite
Brand	:	ACS Material LLC
CAS-No.	:	1318-02-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacturing of substances

1.3 Details of the supplier of the safety data sheet

Company	:	ACS MATERIAL LLC 959 E Walnut Street, Suite 100
		Pasadena, CA 91106
		USA
Telephone	:	+1 (866)-227-0656
Fax	:	+1 (781)-518-0284

1.4 Emergency telephone number

Emergency Phone #: +1 (866)-227-0656

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)H319Causes serious eye irritation.H335May cause respiratory irritation.



Safety Data Sheet – Ultrastable Y Zeolite

ACS Material LLC

Precautionary statement(s)

P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/ physician if you feel unwell.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Substance name	:	Ultrastable Y Zeolite
CAS-No	:	1318-02-1
EC-No.	:	251-283-8
Synonyms	:	Silica, SiO ₂ , Ultrastable Y Zeolite

Hazardous ingredients

Components	Concentration (wt%)	CAS No.
SiO ₂ / Al ₂ O ₃	>5	7631-86-9/1344-28-1
Na ₂ O	<1.2	1313-59-3

For the full text of the phrases mentioned in this Section, see Section 16.

Hazardous impurities: None known.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled



Safety Data Sheet – Ultrastable Y Zeolite

ACS Material LLC

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: FIREFIGHTING MEASURES

- 5.1 Extinguishing media
 - Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Nature of decomposition products not known.

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

- 6.2 Environmental precautions Do not let product enter drains.
- **6.3** Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.



SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Suitable extinguishing media

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing recommended. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure



ACS Material LLC

Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

1)	Appearance	Form: White Powder
2)	Odour	No data available
3)	Odour Threshold	No data available
4)	рН	No data available
5)	Melting point/freezing point	No data available
6)	Initial boiling point and boiling range	No data available
7)	Flash point	Not applicable
8)	Evaporation rate	No data available
9)	Flammability (solid, gas)	No data available
10)	Upper/lower flammability or explosive	No data available
	limits	
11)	Vapour pressure	No data available
10)		
12)	Vapour density	No data available
12) 13)	Vapour density Relative density	No data available No data available
13)	Relative density	No data available
13) 14)	Relative density Water solubility	No data available No data available
13) 14) 15)	Relative density Water solubility Partition coefficient: n- octanol/water	No data available No data available No data available
13) 14) 15) 16)	Relative density Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature	No data available No data available No data available No data available
13) 14) 15) 16) 17)	Relative density Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	No data available No data available No data available No data available No data available
13) 14) 15) 16) 17) 18)	Relative density Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity	No data available No data available No data available No data available No data available No data available

9.2 Other safety information

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid**



Safety Data Sheet – Ultrastable Y Zeolite

Avoid moisture.

10.5 Incompatible materials

Strong acids, Strong bases, Hydrogen fluoride, Chlorine trifluoride, Ethylene oxide, Halogenated hydrocarbon, Oxygen difluoride, Sodium nitrate, Vinyl compounds, Strong acids, Strong oxidizing agents

10.6 Hazardous decomposition products Other decomposition products - No data available

In the event of fire: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 10,000 mg/kg LD50 Dermal - Rabbit - > 2,000 mg/kg No data available

Skin corrosion/irritation Skin - Human

Result: No skin irritation

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

Human Lymphocyte Cytogenetic analysis Mouse Cytogenetic analysis

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available



Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: ZG6800000

Cough, Difficulty in breathing, Gastrointestinal disturbance, prolonged or repeated exposure can cause: Damage to the lungs. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

See section 11.

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- 12.6 Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

14.1 DOT (US)



Not dangerous goods

14.2 IMDG

Not dangerous goods

14.3 IATA

Not dangerous goods

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Zeolites crystalline alumiosilicates, composed of silica (SiO₂) and alumina (Al₂O₃), in various proportions plus metallic oxides.

New Jersey Right To Know Components

Zeolites crystalline alumiosilicates, composed of silica (SiO₂) and alumina (Al₂O₃), in various proportions plus metallic oxides.

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit.	Eye irritation
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
STOT SE	Specific target organ toxicity - single exposure



2

HMIS Rating Health hazard:

0
0
2
0
0

Disclaimer: ACS Material, LLC believes that the information in this Safety Data Sheet is accurate and represents the best and most current information available to us. ACS Material makes no representations or warranties either express or implied, regarding the suitability of the material for any purpose or the accuracy of the information contained within this document. Accordingly, ACS Material will not be responsible for damages resulting from use of or reliance upon this information.

