



SECTION 1: IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

1.1 Product identifiers

Product Name : ACS Material Graphene Dispersion in NMP
Brand : ACS Material LLC
CAS-No. : 7782-42-5 (graphene); 872-50-4 (NMP)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacturing of substances

1.3 Details of the supplier of the safety data sheet

Company : ACS MATERIAL LLC
959 E Walnut St. Suite 100
Pasadena, CA 91106
USA

Telephone : +1 (866)-227-0656

Fax : +1 (781)-518-0284

1.4 Emergency telephone number

Emergency Phone #: +1 (866)-227-0656

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture**Classification according to 29 CFR 1910 (OSHA HCS)**

Flammable liquids (Category 4), H227

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

R61

Xi Irritant R36/37/38

For the full text of the R-phrases mentioned in this Section, see Section 16.



2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H227

Combustible liquid.

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

H360

May damage fertility or the unborn child.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264

Wash skin thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant Foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard Statements

None

Restricted to professional users.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Substance name	:	ACS Material Graphene Dispersion in NMP
CAS-No	:	7782-42-5
EC-No.	:	231-955-3
Synonyms	:	Graphene, GNP
Molecular weight	:	12.01 g/mol
Linear formula	:	C
CAS-No	:	872-50-4
EC-No.	:	212-828-1
Synonyms	:	1-Methyl-2-pyrrolidone N-Methyl-2-pyrrolidone NMP

Molecular weight : M-PYROL™
 99.13 g/mol
 Linear formula : C₅H₉NO

Hazardous ingredients

Components	Concentration	CAS No.
Graphene (C)	~4 wt%	7782-42-5
NMP	94.9 wt%	872-50-4

For the full text of the phrases mentioned in this Section, see Section 16.

Hazardous impurities: None known.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NO_x).



5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Suitable extinguishing media

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Moisture sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control Parameters	Basis
Graphene (C)	7782-42-5	TWA	15.000000 Million particles per cubic foot	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
	Remarks	Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques. mppcf X 35.3 = million particles per cubic meter = particles per c.c		
		Also see specific listing for Graphene (synthetic).		
		TWA	15.000000 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5.000000 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	2.000000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		Pneumoconiosis		
N-methyl-2-pyrrolidone	872-50-4	TWA	10.000000 ppm	USA. Workplace Environmental Exposure Levels (WEEL)
	Remarks	Skin		
		PEL	1 ppm 4 mg/m ³	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
N-methyl-2-pyrrolidone	872-50-4	5-Hydroxy-Nmethyl-2-pyrrolidone	100.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

Derived No Effect Level (DNEL)

Application Area	Exposure routes	Health effect	Value
Workers	Skin contact	Acute systemic effects	208mg/kg BW/d
Workers	Inhalation	Acute systemic effects	80 mg/m ³
Workers	Skin contact	Long-term systemic effects	19.8mg/kg BW/d
Workers	Inhalation	Long-term systemic effects	40 mg/m ³

Predicted No Effect Concentration (PNEC)

Compartment	Value
Water	5 mg/l
Soil	0.138 mg/kg
Marine water	0.025 mg/kg
Fresh water	0.25 mg/l
Fresh water sediment	0.805 mg/kg
Onsite sewage treatment plant	10 mg/l

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

The selected protective gloves must satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm

Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene

Minimum layer thickness: 0,6 mm

Break through time: 30 min

Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de,
test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Impervious clothing recommended. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

1) Appearance	Form: liquid
	Colour: colourless
2) Odour	No data available
3) Odour Threshold	No data available
4) pH	7,7 - 8
5) Melting point/freezing point	-24 °C (-11.2 °F)
6) Initial boiling point and boiling range	202 °C
	81 - 82 °C at 13 hPa
7) Flash point	91 °C - closed cup
8) Evaporation rate	No data available
9) Flammability (solid, gas)	No data available
10) Upper/lower flammability or explosive limits	Upper explosion limit: 9,5 %(V) Lower explosion limit: 1,3 %(V)
11) Vapour pressure	0,39 - 0,43 hPa at 20 °C 1,32 hPa at 40 °C
12) Vapour density	3,42 - (Air = 1.0)
13) Relative density	1,028 g/mL at 25 °C
14) Water solubility	No data available



15) Partition coefficient: n- octanol/water	log Pow: -0,46
16) Auto-ignition temperature	No data available
17) Decomposition temperature	No data available
18) Viscosity	3000-5000 mPa·s
19) Explosive properties	No data available
20) Oxidizing properties	No data available

9.2 Other safety information

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions, able to form peroxide composition in the air.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong acids, bases, strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon oxides and nitrogen oxides.

In the event of fire: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral

rat - 3.914 mg/kg

Inhalation LC50

LC50 Inhalation: > 5130 mg/m³ (Rat 4 h)

Remarks: Lungs, Thorax, or Respiration: Other changes.

LDLO Inhalation

rat - 4 h - > 5100 ppm

LD50 Dermal

rabbit - 8.000 mg/kg

Other information on acute toxicity



No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Eyes - rabbit

Result: Eye irritation

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Damage to fetus possible, occasional lethargy or irregular breathing.

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: UY5790000

Prolonged or repeated exposure can cause: vomiting, diarrhea and/or abdominal pain. Rats exposed to 1-methyl-2-pyrrolidinone at a concentration of 1 mg/L as an aerosol for 10 days showed depletion of hematopoietic cells in the bone marrow and atrophy of the lymphoid tissues of the thymus, spleen, and lymph nodes.

Bone marrow - Irregularities - Based on Human Evidence

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 - other fish - 4,000 mg/l - 96 h

LC50 - Leuciscus idus (Golden orfe) - > 500 mg/l - 96 h

Toxicity to daphnia and other

EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 24 h



aquatic invertebrates

Toxicity to bacteria LC50 - Bacteria - > 9,000 mg/l

12.2 Persistence and degradability

Biodegradability Result: 90 % - Readily biodegradable

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

UN number

ADR/RID: 1993

IMDG: - IATA: -

UN proper shipping name

ADR/RID: Combustible liquid, n.o.s. (N-methyl-2-pyrrolidone)

IMDG: Not dangerous goods

IATA: Not dangerous goods

Transport hazard class(es)

ADR/RID: NONE

IMDG: - IATA: -

Packaging group

ADR/RID: III

IMDG: - IATA: -

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

no data available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations and/or restrictions on use

N-methyl-2-pyrrolidone CAS-No.: 872-50-4

Candidate List of Substances of Very High Concern for Authorisation

Toxic for reproduction (article 57c)

ED/31/2011

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

N-methyl-2-pyrrolidone	CAS-No. 872-50-4	Revision Date 2007-07-01
------------------------	---------------------	-----------------------------

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

N-methyl-2-pyrrolidone	CAS-No. 872-50-4	Revision Date 2007-07-01
------------------------	---------------------	-----------------------------

Pennsylvania Right To Know Components

N-methyl-2-pyrrolidone	CAS-No. 872-50-4	Revision Date 2007-07-01
------------------------	---------------------	-----------------------------

New Jersey Right To Know Components

N-methyl-2-pyrrolidone	CAS-No. 872-50-4	Revision Date 2007-07-01
------------------------	---------------------	-----------------------------

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H227	Combustible liquid.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child.
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation

HMIS Classification

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	2
Physical Hazard:	0

NFPA Rating

Health hazard:	2
Fire Hazard:	2
Reactivity Hazard:	0

Disclaimer: ACS Material, LLC believes that the information in this Safety Data Sheet is accurate and represents the best and most current information available to us. ACS Material makes no representations or warranties either express or implied, regarding the suitability of the material for any purpose or the accuracy of the information contained within this document. Accordingly, ACS Material will not be responsible for damages resulting from use of or reliance upon this information.