

ACS Material LLC

Version: 1.2 / EN Revision Date: 10/30/2017

SECTION 1: IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

1.1 Product identifiers

Product Name : ACS Material Monolayer MoS₂ on SiO₂ Substrate

Brand : ACS Material LLC

CAS-No. : 1317-33-5 (MoS₂); 60676-86-0 (SiO₂)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : ACS MATERIAL LLC

959 E Walnut St., Suite 100

Pasadena, CA 91106

USA

Telephone : +1 (866)-227-0656 Fax : +1 (781)-518-0284

1.4 Emergency telephone number

Emergency Phone #: +1 (866)-227-0656

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Substance name: ACS Material Monolayer MoS₂ on SiO₂ Substrate

CAS-No : 1317-33-5 EC-No. : 215-263-9

Synonyms: Molybdenum disulfide film, MoS₂ nanoplates





Safety Data Sheet – Monolayer MoS₂ on SiO₂

ACS Material LLC

Molecular weight: 160.07 g/mol

Linear formula : MoS₂

CAS-No : 60676-86-0

Synonyms : Silica

Quartz Sand

Cristobalite

Molecular weight: 60.08 g/mol

Linear formula : SiO₂

Hazardous ingredients

Chemical characterization: Molybdenum Disulfide, crystalline, synthetic, non fibrous

Components	Concentration	CAS No.	
MoS ₂	<=100%	1317-33-5	

For the full text of the phrases mentioned in this Section, see Section 16.

Hazardous impurities: None known.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed





No data available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture Silicon oxides.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Suitable extinguishing media

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.





Strongly hygroscopic. Store under inert gas. Moisture sensitive.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control Parameters	Basis
Molybdenum(V) sulfide	1317-33-5	TWA	15.000000 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10.000000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		TWA	3.000000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		TWA	15 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		TWA	3 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		PEL	10 mg/m ³	California permissible exposure limits for chemical contaminants (Title 8, Article 107
		PEL	3 mg/m ³	California permissible exposure limits for chemical contaminants (Title 8, Article 107

8.2 Exposure controls Appropriate engineering controls

General industrial hygiene practice.

8.3 Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good





laboratory practices.

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Form: crystalline

Control of environmental exposure

Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

1) Appearance

9.1 Information on basic physical and chemical properties

')	Appearance	Colour: colourless
2)	Odour	No data available
3)	Odour Threshold	No data available
4)	pH	7 - 8
5)	Melting point/freezing point	2,375 °C (4,307 °F)
6)	Initial boiling point and boiling range	No data available
7)	Flash point	No data available
8)	Evaporation rate	No data available
9)	Flammability (solid, gas)	No data available
10)	Upper/lower flammability or explosive limits	No data available
11)	Vapour pressure	No data available
12)	Vapour density	No data available
13)	Relative density	5.060 g/cm ³ at 25 °C (77 °F)
14)	Water solubility	No data available
15)	Partition coefficient: n- octanol/water	No data available
16)	Auto-ignition temperature	No data available
17)	Decomposition temperature	No data available
18)	Viscosity	No data available
19)	Explosive properties	No data available





Safety Data Sheet – Monolayer MoS₂ on SiO₂

ACS Material LLC

20) Oxidizing properties

No data available

9.2 Other safety information

Bulk density(SiO₂)

 $480 - 600 \text{ kg/m}^3$

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames, sparks, exposed to solarization and rain.

10.5 Incompatible materials

Hydrogen peroxide, oxidizing agents, strong oxidizing agents.

10.6 Hazardous decomposition products

Other decomposition products - No data available.

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Molybdenum oxides.

In the event of fire: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

MoS₂:

LC50 Inhalation: > 2,820 mg/m³ (Rat 4 h)

Remarks: Lungs, Thorax, or Respiration: Other changes.

Dermal: No data available.

No data available.

SiO₂:

LD50 Oral - rat - > 5,000 mg/kg Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

No data available.

Serious eye damage/eye irritation

No data available.





Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

Specific target organ toxicity - single exposure

No data available.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: QA4697000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment





Safety Data Sheet – Monolayer MoS₂ on SiO₂ ACS Material LLC

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

UN number

ADR/RID: -IMDG: -IATA: -

UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

Transport hazard class(es)

ADR/RID: -IMDG: -IATA: -

Packaging group

ADR/RID: -IMDG: -IATA: -

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations and/or restrictions on use **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components





Safety Data Sheet – Monolayer MoS₂ on SiO₂ ACS Material LLC

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazardsc

No SARA Hazards.

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Molybdenum(IV) sulfide	1317-33-5	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Molybdenum(IV) sulfide	1317-33-5	1993-04-24
Silicon dioxide	-	
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Molybdenum(IV) sulfide	1317-33-5	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: OTHER INFORMATION

				4 *
нмі	S (:	lass	itica	tı∩n

Health hazard: 0 Chronic Health Hazard: Flammability: 0 Physical Hazard: 0

NFPA Rating

Silicon dioxide

Health hazard: 0 Fire Hazard: Reactivity Hazard:

Disclaimer: ACS Material, LLC believes that the information in this Safety Data Sheet is accurate and represents the best and most current information available to us. ACS Material makes no representations or warranties either express or implied, regarding the suitability of the material for any purpose or the accuracy of the information contained within this document. Accordingly, ACS Material will not be responsible for damages resulting from use of or reliance upon this information.

