

## Technical Data Sheet

# ACS Material Hollow Carbon Spheres with Soft Template

- 1 Preparation Method
- 2-Characterizations
- 3-Applications

#### **Contact Information:**


ACS Material, LLC. Address: 959 E Walnut St., Suite 100, Pasadena, CA 91106, USA Phone: (866)-227-0656 Fax: (781)-518-0284 E-Mail: contact@acsmaterial.com Revision: 09252022

## 1. Preparation Method


Soft Templating Method

### 2. Characterizations

Appearance	Black powder
Particle size	~200nm
BET	~500m <sup>2</sup> /g
Pore Size	~0.6nm



Typical SEM Image(1) of ACS Material Hollow Carbon Spheres with Soft Template



Typical SEM Image (2) of ACS Material Hollow Carbon Spheres with Soft Template

#### 3. Applications

Lithium-sulfur battery cathode materials, catalyst carrier materials, etc.

**Disclaimer:** ACS Material, LLC believes that the information in this Technical Data Sheet is accurate and represents the best and most current information available to us. ACS Material makes no representations or warranties either express or implied, regarding the suitability of the material for any purpose or the accuracy of the information contained within this document. Accordingly, ACS Material will not be responsible for damages resulting from use of or reliance upon this information.