



Technical Data Sheet

ACS Material Monolayer Hexagonal Boron Nitride (hBN) on Si/SiO₂ Substrate

Table of Contents

[1 – Preparation Method](#)

[2 – Characterizations](#)

[3 – Application Fields](#)

[4 – User Instruction](#)

Contact Information:

Manufacturer: ACS Material, LLC.
Address: 959 E Walnut St., Suite 100
Pasadena, CA 91106, USA
Phone: (866)-227-0656
Fax: (781)-518-0284
E-Mail: contact@acsmaterial.com
Revision: 061118

1. Preparation Method

CVD Method


2. Characterizations

Monolayer hBN	
Transparency	> 97%
hBN Coverage	100% with sporadic adlayers
Raman Peak	1370 /cm ⁻¹
Bandgap	5.97 eV
Grain size	>4 μm
Copper Foil	25 μm thick


Si/SiO ₂ Substrate	
Type/Doping	P/B
Wafer Thickness	500 +/- 50 μm
Oxide Thickness	300 nm
Resistivity	1-10 (Ω -cm)
Orientation	<1-0-0>
Growth Method	CZ
Metal Impurities	1.00e ¹⁰ – 5.00e ¹⁰ (at/cm ²)



Typical Crystal Diffraction Image of ACS Material Monolayer hBN



Typical TEM Image of ACS Material Monolayer hBN



Typical Raman Spectrum of ACS Material Monolayer hBN

* The indicated product metrics are generic to our transfer process. For all ACS Material products, the displayed range represents electronic data that we have obtained using our in-house transfer capabilities to transfer hBN to SiO₂. Your own metrics will depend entirely on the transfer methods that you use, and the resultant quality of your transfers.

3. Application Fields

- 1) Proton conductors
- 2) Fuel cells
- 3) Water electrolysis
- 4) Graphene-based devices

4. User Instruction

To ensure the maximum shelf life of your graphene sample, it is best stored under vacuum or in inert atmosphere (Argon or Nitrogen) conditions once the vacuum sealed package has been opened.

Disclaimer: ACS Material, LLC believes that the information in this Technical Data Sheet is accurate and represents the best and most current information available to us. ACS Material makes no representations or warranties either express or implied, regarding the suitability of the material for any purpose or the accuracy of the information contained within this document. Accordingly, ACS Material will not be responsible for damages resulting from use of or reliance upon this information.